



**From:** Kelly, John F.  
**Sent:** Monday, September 09, 2013 3:28 PM  
**To:** Bosworth, Martha (bosworth.martha@epa.gov); smith.nancya@epa.gov  
**Cc:** Kelly, John F.; Imbres, Carolyn; Hornok, Gerald  
**Subject:** Jard Company Inc. HRS/NPL Package TDD Conference Call documentation - 9/9/13

Martha and Nancy,

This email is to document the conference call held at 0830 hrs. on 9 September 2013 between COR Martha Bosworth, COR Nancy Smith, Gerry Hornok (START), Carolyn Imbres (START) and John Kelly (START) regarding the Jard Company Inc. HRS/NPL package TDD assigned 9/4/13. Specifically the design requirements for the listing package.

- EPA CORs and START members discussed the Draft delivery schedule.
  - o START will submit the full Draft HRS/NPL Package including references to the Regional CORs no later than 16 October 2013 for review.
  - o START will submit the full Draft HRS/NPL Package including references to the Regional CORs and EPA Headquarters representative no later than 25 October 2013 for review.
- START provided EPA CORs with an overview and discussion of the various scoring scenarios and data limitations for each.
  - o START provided review of various scenarios including
    - utilizing two sources for a 10,000 HWQ, scoring the groundwater pathway with single drinking water well and/or potential public water supply well.
    - utilizing two sources for a 10,000 HWQ, scoring the surface water pathway by itself and with the above groundwater pathway.
  - o Based on the discussion, the EPA CORs determined that they would like to have START score the two sources, groundwater including the one closed well and one potential public water supply well, and the surface water pathway. This will require scoring groundwater to surface water release.
  - o EPA does not want START to proceed with scoring the soil exposure pathway at this time.
  - o Based on scoring scenarios calculations, EPA may request that START remove portions of the scoring scenarios as the package develops.
- START pointed out the need for additional documentation regarding private well closure from State – COR Bosworth will pursue this with Trish Coppolino (VTDEC) today.
- START will provide COR Bosworth with a list of questions and concerns regarding the potential Public Water Supply well to be used in scoring.
- COR Bosworth will also follow-up with the list of questions from START to the Town Public works representative regarding the potential Public Water Supply well.
- START will prepare an amendment for funding to be submitted to EPA later this week or on Monday 9/17/13. COR Bosworth said she would not be available to review the amendment until Friday and that she is requesting that the EPA PO (L. Chan) add Nancy Smith as a COR for the TDD.

Please do not hesitate to contact me if you have any questions regarding the information provide in this summary record.

Thanks

John K.

John F. Kelly  
Licensed Professional Geologist (NH 0314)  
Project Manager / Deputy Program Manager

Weston Solutions, Inc. START III  
3 Riverside Drive  
Andover, MA 01810

Office Phone: 978-552-2122  
Cell Phone: 978-621-8804  
Email: [John.F.Kelly@westonsolutions.com](mailto:John.F.Kelly@westonsolutions.com)



**Please consider the environment before printing this e-mail**